CHAPTER 2H. RECREATIONAL AND CULTURAL INTEREST AREA SIGNS

Section 2H.01 Scope

Support:

Recreational or cultural interest areas are attractions or traffic generators that are open to the general public for the purpose of play, amusement, or relaxation. Recreational attractions include such facilities as parks, campgrounds, gaming facilities, and ski areas, while examples of cultural attractions include museums, art galleries, and historical buildings or sites.

The purpose of recreation and cultural interest area signs is to guide road users to a general area and then to specific facilities or activities within the area.

See Chapter 2G for the details of points of interest criteria.

SHA

Option:

Recreational and cultural interest area signs that depict significant traffic generators may be used on freeways and expressways where there is direct access to these areas as discussed in Section 2H.09.

Recreational and cultural interest area signs may be used off the road network, as appropriate.

Section 2H.02 Application of Recreational and Cultural Interest Area Signs

Support:

Standards for signing recreational or cultural interest areas are subdivided into two different types of signs: (1) symbol signs and (2) destination guide signs.

Guidance:

When highway agencies decide to provide recreational and cultural interest area signing, these agencies should have a policy for such signing. The policy should establish signing criteria for the eligibility of the various types of services, accommodations, and facilities. These signs should not be used where they might be confused with other traffic control signs.

Option:

Recreational and cultural interest area signs may be used on any road to direct persons to facilities, structures, and places, and to identify various services available to the general public. These signs may also be used in recreational or cultural interest areas for signing nonvehicular events and amenities such as trails, structures, and facilities.

Section 2H.03 Regulatory and Warning Signs

Standard:

All regulatory and warning signs installed on public roads and streets within recreational and cultural interest areas shall conform to the requirements of Chapters 2A, 2B, and 2C.

Section 2H.04 General Design Requirements for Recreational and Cultural Interest Area Symbol Signs

Standard:

Recreational and cultural interest area symbol signs shall be square or rectangular in shape and shall have a white symbol or message and white border on a brown background. The symbols shall be grouped into the following usage and series categories (see the "Standard Highway Signs" book for design details):

- A. General Information (RG Series)
- **B.** Motorist Services (RM Series)
- C. Accommodation Services (RA Series)
- D. Land Recreation (RL series, D95-26)
- E. Water Recreation (RW Series), and
- F. Winter Recreation (RS Series)

Support:

Table 2H-1 contains a listing of the symbols within each series category. Drawings for these symbols are found in the "Standard Highway Signs" book (see Section 1A.11).

Option:

Mirror images of symbols may be used where the reverse image will better convey the message.

SHA

Page 2H-2 2006 Edition

Table 2H-1. Category Chart for Symbols

	Table
General Information	
Automobile	RG-010
Bear Viewing Area	RG-020
Dam	RG-030
Deer Viewing Area	RG-040
Drinking Water	RG-050
Environmental Study Area	RG-060
Falling Rocks *	RG-070
Firearms	RG-080
Fish Hatchery	RG-090
Information	RG-100
Leashed Pets *	RG-110
Lighthouse	RG-120
Litter Container	RG-130
Lookout Tower	RG-140
Ped Xing *	RG-150
Point of Interest	RG-160
Ranger Station	RG-170
Smoking *	RG-180
Truck	RG-190
Tunnel	RG-200
Dog	RG-240
Seaplane	RG-260
Motorist Services	
Camping (Tent)	RM-010
Camping (Trailer)	RM-020
Ferry	RM-030
First Aid	RM-040
Food	RM-050
Gas	RM-060
Grocery Store	RM-070
Handicapped	RM-080
Lodging	RM-090
Mechanic	RM-100
Post Office	RM-110
Picnic Area	RM-120
Picnic Shelter	RM-130
Rest Room	RM-140
Telephone	RM-150
Trailer Sanitary Station	RM-160

Accommodation Services	
Airport	RA-010
Bus Stop	RA-020
Campfire	RA-030
Elevator *	RA-040
Kennel	RA-050
Laundry	RA-060
Locker *	RA-070
Parking	RA-080
Rest Room (Men) *	RA-090
Rest Room (Women) *	RA-100
Shelter (Sleeping) *	RA-110
Shelter (Trail) *	RA-120
Showers *	RA-130
Family Rest Room *	RA-150
Helicopter	RA-160
Land Recreation	
Amphitheater	RL-010
Climbing	RL-020
Climbing (Rock)	RL-030
Hunting	RL-040
Playground	RL-050
Rock Collecting	RL-060
Spelunking	RL-070
Stable	RL-080
Trail (Bicycle)	RL-090
Trail (Hiking)	RL-100
Trail (Horse)	RL-110
Trail (Interpretive, Auto)	RL-120
Trail (Interpretive, Ped.)	RL-130
Trail/Road (4 WD Veh.)	RL-140
Trail (Trail Bike)	RL-150
Tramway	RL-160
All-Terrain Vehicle	RL-170
Archer	RL-190
Hang Glider	RL-210
Golf	D95-26 SXA
	JAH

Water Recreation	
Boat Tours	RW-010
Canoeing	RW-020
Diving	RW-030
Diving (Scuba)	RW-040
Fishing	RW-050
Marine Recreation Area	RW-060
Motorboating	RW-070
Ramp (Launch)	RW-080
Rowboating	RW-090
Sailboating	RW-100
Skiing (water)	RW-110
Surfing	RW-120
Swimming	RW-130
Wading	RW-140
Fishing Pier	RW-160
Hand Launch	RW-170
Kayak	RW-190
Wind Surf	RW-210
Skiing (Bobbing) Skiing (Cross Country) Skiing (Downhill) Sledding Snowmobiling Snowshoeing Winter Recreation Area Chairlift	RS-030 RS-040 RS-050 RS-060 RS-070 RS-080 RS-090

^{*} For Non-Road Use

Viewing Area

Motor Home

Group Camping

Group Picnicking

RM-170

RM-200

RM-210

RM-220

Standard: SMA

The Golf Course service plate (D95-26) sign shall not be used or installed randomly around the state. It shall be used only in an established Tourism type areas and/or where the golf course is associated with a state park.

When used in conjunction with a park, the Golf Course service plate (D95-26) sign shall be white on brown.

When used in conjunction with a Tourism area, such as the Tourist Area and Corridor Program, the Golf Course service plate (D95-26) sign shall be white on blue.

Section 2H.05 Symbol Sign Sizes

Guidance:

Recreational and cultural interest area symbol signs should be 600 x 600 mm (24 x 24 in). Where greater visibility or emphasis is needed, larger sizes should be used. Symbol sign enlargements should be in 150 mm (6 in) increments.

Recreational and cultural interest area symbol signs should be 750 x 750 mm (30 x 30 in) when used on freeways or expressways.

Option:

A smaller size of 450 x 450 mm (18 x 18 in) may be used on low-speed, low-volume roadways and on nonroad applications.

Section 2H.06 Use of Educational Plaques

Guidance:

Educational plaques should accompany all initial installations of recreational and cultural interest area symbol signs. The educational plaque should remain in place for at least 3 years after the initial installation. If used, the educational plaque should be the same width as the symbol sign.

Option:

Symbol signs that are readily recognizable by the public may be installed without educational plaques. Support:

Figure 2H-1 illustrates some examples of the use of educational plaques.

Section 2H.07 <u>Use of Prohibitive Slash</u>

Standard:

The red diagonal slash, if used on a recreational and cultural interest area sign, shall be placed from the upper left corner to the lower right corner of the sign face (see Figure 2H-1). Requirements for retroreflection of the red slash shall be the same as those requirements for legends, symbols, and borders.

Option:

Where it is necessary to indicate a restriction within a recreational or cultural interest area, a red diagonal slash may be used to indicate that the activity is prohibited.

Support:

Figure 2H-1 illustrates some examples of the use of prohibitive slashes.

Section 2H.08 <u>Placement of Recreational and Cultural Interest Area Symbol Signs</u> Standard:

If used, recreational and cultural interest area symbol signs shall be placed in accordance with the general requirements contained in Chapter 2A. The symbol(s) shall be placed in the uppermost part of the sign assembly and the directional information shall be placed below the symbol(s).

Where the name of the recreational or cultural interest area facility or activity is shown on a general directional guide sign and a symbol is used, the symbol shall be placed below the name (see Figure 2H-2).


Recreational and cultural interest area symbols installed for nonroad use shall be placed in accordance with the general sign position requirements of the authority having jurisdiction.

Support:

Figure 2H-3 illustrates typical height and lateral mounting positions. Figure 2H-4 illustrates some examples of the placement of symbol signs within a recreational or cultural interest area. Figure 2H-5 illustrates some of the symbols that can be used.

Page 2H-4 2006 Edition

Figure 2H-1. Examples of Use of Educational Plaques, Prohibitory Slashes, and Arrows





d) Directional sign with secondary symbol



 e) Management symbols with prohibitive slashes and educational plaques



f) Directional sign with educational plague and arrow

Guidance:

The number of symbols used in a single sign assembly should not exceed four.

Option:

Symbols for recreational or cultural interest areas may be used as legend components for a directional sign assembly. The symbols may be used singularly, or in groups of two, three, or four on a single sign assembly (see Figures 2H-1, 2H-3, and 2H-4). Smaller-size secondary symbols (see Figure 2H-1) may be placed beneath the primary symbols, where needed.

Figure 2H-2. Examples of General Directional Guide Signs for Conventional Roads



















VA National Cemetery EXIT 245

*Optional shape

Page 2H-6 2006 Edition

Figure 2H-3. Height and Lateral Position of Signs Located Within Recreational and Cultural Interest Areas






Note:

See Section 2A.19 for reduced lateral offset distances that may be used in areas where lateral offsets are limited, and in urban areas where sidewalk width is limited or where existing poles are close to the curb.

Figure 2H-4. Examples of Symbol Signing Layout



Page 2H-8 2006 Edition

Figure 2H-5. Recreational and Cultural Interest Area Symbol Signs (Sheet 1 of 5)



RG-010 Automobile



RG-020 Bear Viewing Area



RG-030 Dam



RG-040 Deer Viewing Area



RG-050 Drinking Water



RG-060 Environmental Study Area



RG-070 Falling Rocks



RG-080 Firearms



RG-090 Fish Hatchery



RG-100 Information



RG-110 Leashed Pets



RG-120 Lighthouse



RG-130 Litter Container



RG-140 Lookout Tower



RG-150 Ped Xing



RG-160 Point of Interest



RG-170 Ranger Station



RG-180 Smoking



RG-190 Truck



RG-200 Tunnel



RG-240 Dog



RG-260 Seaplane



RM-010 Camping (Tent)



RM-020 Camping (Trailer)



RM-030 Ferry

Figure 2H-5. Recreational and Cultural Interest Area Symbol Signs (Sheet 2 of 5)



RM-040 First Aid



RM-050 Food



RM-060 Gas



RM-070 Grocery Store



RM-080 Handicapped



RM-090 Lodging



RM-100 Mechanic



RM-110 Post Office



RM-120 Picnic Area



RM-130 Picnic Shelter



RM-140 Rest Room



RM-150 Telephone



RM-160 Trailer Sanitary Station



RM-170 Viewing Area



RM-200 Motor Home



RM-210 Group Camping



RM-220 Group Picnicking



RA-010 Airport



RA-020 Bus Stop



RA-030 Campfire



RA-040 Elevator



RA-050 Kennel



RA-060 Laundry



RA-070 Locker



RA-080 Parking

Page 2H-10 2006 Edition

Figure 2H-5. Recreational and Cultural Interest Area Symbol Signs (Sheet 3 of 5)



RA-090 Rest Room (Men)



RA-100 Rest Room (Women)



RA-110 Shelter (Sleeping)



RA-120 Shelter (Trail)



RA-130 Showers



RA-150 Family Rest Room



RA-160 Helicopter



RL-010 Amphitheater



RL-020 Climbing



RL-030 Climbing (Rock)



RL-040 Hunting



RL-050 Playground



RL-060 Rock Collecting



RL-070 Spelunking



RL-080 Stable



RL-090 Trail (Bicycle)



RL-100 Trail (Hiking)



RL-110 Trail (Horse)



RL-120 Trail (Interpretive, Auto)



RL-130 Trail (Interpretive, Ped.)



RL-140 Trail/Road (4 WD Veh.)



RL-150 Trail (Trail Bike)



RL-160 Tramway



RL-170 All-Terrain Vehicle



RL-190 Archer

Figure 2H-5. Recreational and Cultural Interest Area Symbol Signs (Sheet 4 of 5)



RL-210 Hang Glider



D95-26 **SHA** Golf Course



RW-010 Boat Tours



RW-020 Canoeing



RW-030 Diving



RW-040 Diving (Scuba)



RW-050 Fishing



RW-060 Marine Recreation Area



RW-070 Motorboating



RW-080 Ramp (Launch)



RW-090 Rowboating



RW-100 Sailboating



RW-110 Skiing (Water)



RW-120 Surfing



RW-130 Swimming



RW-140 Wading



RW-160 Fishing Pier



RW-170 Hand Launch



RW-190 Kayak



RW-210 Wind Surf



RS-010 Skating (Ice)



RS-020 Ski Jumping



RS-030 Skiing (Bobbing)



RS-040 Skiing (Cross Country)



RS-050 Skiing (Downhill)

Page 2H-12 2006 Edition

Figure 2H-5. Recreational and Cultural Interest Area Symbol Signs (Sheet 5 of 5)







RS-070 Snowmobiling



RS-080 Snowshoeing



RS-090 Winter Recreation Area



RS-100 Chairlift

Section 2H.09 <u>Destination Guide Signs</u>

Guidance:

When recreational or cultural interest area destinations are shown on supplemental guide signs, the sign should be rectangular or trapezoidal in shape. The order of preference for use of shapes and colors should be as follows: (1) rectangular with a white legend and border on a green background; (2) rectangular with a white legend and border on a brown background; or (3) trapezoidal with a white legend and border on a brown background.

Standard:

Whenever the trapezoidal shape is used, the color combination shall be a white legend and border on a brown background.

Option:

White-on-brown destination guide signs may be posted at the first point where an access or crossroad intersects a highway where recreational or cultural interest areas are a significant destination along conventional roads, expressways, or freeways. White-on-brown supplemental guide signs may be used along conventional roads, expressways, or freeways to direct road users to recreational or cultural interest areas. Where access or crossroads lead exclusively to the recreational or cultural interest area, the advance guide sign and the exit direction sign may be white-on-brown.

Standard:

Linear parkway-type highways that primarily function as arterial connectors, even if they also provide access to recreational or cultural interest areas, shall not qualify for the use of white-on-brown destination guide signs. Directional guide signs used on these highways shall conform to Chapter 2D.

All gore signs shall have a white legend and border on a green background. The background color of the interchange exit number panel shall match the background color of the guide sign. Design characteristics of conventional road, expressway, or freeway guide signs shall conform to Chapter 2D or 2E except as specified in this Section for color combination.

The advance guide sign and the Exit Direction sign shall retain the white-on- green color combination where the crossroad leads to a destination other than a recreational or cultural interest area.

Support:

Figure 2H-2 illustrates destination guide signs commonly used for identifying recreational or cultural interest areas or facilities.